



Keralini[®]
Imagine. Create. Enjoy

Large format ceramic slabs

Large format ceramic slabs

Keralini is the perfection of cutting-edge technology combined with the flawless beauty of Italian design.

Keralini slabs are used as a universal material for interior cladding, flooring, furniture, other decorative elements as well as for exterior facades.

Due to their size and unique properties, Keralini large format ceramic slabs are a universal material which is successfully used for kitchen countertops, interior wall cladding, floors, stairs and also for facades of residential and commercial buildings.

The excellent performance properties allow this material to be used for exterior cladding in all climatic conditions.





MASADA

Type of surface

Naturale

3200 x 1600 x 12 mm



BASALTINA GRIGIA

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



BASALTINA NERA

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



ABSOLUTE

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



BOULEVARD BLACK

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



BOULEVARD GREY


Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



CALACATTA DORATO

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



BLACK DIAMOND

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



NERO MARQUINA

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



CONCRETE ASH

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



PIETRA GRIGIA

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



BALLET

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



ARABESCATO

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



HERMON

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



PORTORO

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



LASA WHITE

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



JADE

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



MONTE BIANCO

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



BOULEVARD GREY

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



CALACATTA ORO

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



FIOR DI BOSCO

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



MERAKI

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



STATUARIO LEONARDO

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm


3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



TINTA UNITÀ BIANCO

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm


3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



TINTA UNITÀ NERO

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



CEPPO DI GRE


Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



CEMENT ASH

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



KENYA

Type of surface

Naturale

3200 x 1600 x 12 mm



STATUARIO RAFFAELLO

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



MARMO ANTICO

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



PATAGONIA

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



PIETRA BROWN

Type of surface

Naturale

3200 x 1600 x 12 mm

Levigato

3200 x 1600 x 12 mm



TRAVERTINO WHITE

Type of surface

Naturale

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm



TAJ MAHAL

Type of surface

Naturale

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

Levigato

3200 x 1600 x 20 mm

3200 x 1600 x 12 mm

3200 x 1600 x 6 mm

The main advantages of large format ceramic slabs

High-quality material and modern Italian technologies:

- ✓ Hygienic, approved for direct contact with food
- ✓ Simple and easy care
- ✓ Can be used indoors and outdoor
- ✓ Durable
- ✓ Resistant to frost, moisture and impacts

The material is resistant to:

- ✓ Scratches
- ✓ Stains
- ✓ Development of fungi and mould
- ✓ High temperatures
- ✓ Exposure to chemical, acidic, alkaline and solvents
- ✓ Exposure to UV radiation

Characteristics

Large format ceramic slabs - Gruppe Bla UGL (UNI EN 14411_G)			
	Established standards	Keralini results	Standards
Length and width	±0,6%	± 0,9MM	UNI EN ISO 10545-2
Thickness	±5%	±3%	
Straightness of edges	±0,5%	±0,5%	
Rectangle	± 2MM	± 2MM	
Flatness	±0,5%	±0,5%	
Surface quality	≥ 95%	≥ 95%	
Water absorption	≤ 0,5%	≤ 0,1%	UNI EN ISO 10545-3
	-	0,1% Average value	ASTMC373
Flexural strength	Flexural strength limit ≥ 35H/MM ²	≥ 45H/MM ²	UNI EN ISO 10545-4
Frost resistance	Resistant	Odporność na mróz	UNI EN ISO 10545-12
Heat resistance	Resistant	Resistant	UNI EN ISO 10545-9
Resistance to heavy abrasion	≤ 175MM ³	≤ 175MM ³	UNI EN ISO 10545-6
Discolouration on exposure to light	Resistant	Resistant	DIN 51094
Chemical resistance	Minimum UB	UA; ULA; UHA	UNI EN ISO 10545-13
Stain resistance	minimum class 3	class 3-5	UNI EN ISO 10545-14
Fire resistance	Resistant	Resistant	EN 13501 (rev. 2005)



Information for orders

In stock:

Slab dimensions:

3200 mm x 1600 mm, thickness 6 mm. Slab area - 5.12 sq.m
3200 mm x 1600 mm, thickness 12 mm*. Slab area - 5.12 sq.m

On request:

Slab dimensions:

2780x1200 mm, thickness 6 mm. Slab area - 3.34 sq.m
3200x1600, thickness 20 mm*. Slab area - 5.12 sq.m

* - not rectified tile



ARCHITYPE
more than stone

Contact

05-555 Tarczyn, Al. Krakowska 64; Grzędy

architype@architype.pl

[+48 22 602 20 22](tel:+48226022022)

architype.eu